UNIVERSITY OF HAWAII
LIBRARY
PERIODICAL

Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD

G. Attardi
P. Berg
S. Bernhard
J. E. Darnell
G. Felsenfeld
J. Hurwitz
H. E. Huxley
A. D. Kaiser
A. Klug
O. Maaløe
A. Novick
G. E. Palade
D. C. Phillips
L. Stryer
C. Thomas
A. Tissières
J. Wyman

IODICAL
1301
73

VOLUME 40
28 February 1969 to 28 March 1969

ACADEMIC PRESS
LONDON and NEW YORK

Copyright © 1969, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 40

NUMBER 1, 28 FEBRUARY 1969

CASTLES, J. J. and SINGER, M. F., Degradation of Polyuridylic Acid by Ribonuclease II: Protection by Ribosomes 1

CHERRY, R. J. and CHAPMAN, D., Optical Properties of Black Lecithin Films . 19

Appendix—Calculation of Brewster Angles for Three-layer Film . . 29

GRUNBERG-MANAGO, M., CLARK, B. F. C., REVEL, M., RUDLAND, P. S. and DONDON, J., Stability of Different Ribosomal Complexes with Initiator Transfer RNA and Synthetic Messenger RNA 33

FRANCKE, B. and HOFSCHNEIDER, P. H., Infectious Nucleic Acids of *Escherichia coli* Bacteriophages. XI. Differentiation between Conservatively and Semiconservatively Replicating RNA Intermediates of the Bacteriophage M12 by Formaldehyde Inactivation 45

TREMBLAY, G. Y., DANIELS, M. J. and SCHAECHTER, M., Isolation of a Cell Membrane–DNA–Nascent RNA Complex from Bacteria. 65

YUDELEVICH, A. and GOLD, M., A Specific DNA Methylase induced by Bacteriophage 15 77

SHAPIRO, J. A., Mutations caused by the Insertion of Genetic Material into the Galactose Operon of *Escherichia coli* 93

FRIEDMAN, R. M. and PASTAN, I., Nature and Function of the Structural Phospholipids of an Arbovirus 107

MELLI, M. and BISHOP, J. O., Hybridization between Rat Liver DNA and Complementary RNA 117

LETTERS TO THE EDITOR—

GILMOUR, R. S. and PAUL, J., RNA transcribed from Reconstituted Nucleoprotein is Similar to Natural RNA 137

HIRT, B., Replicating Molecules of Polyoma Virus DNA 141

KUMAR, S. and SZYBALSKI, W., Orientation of Transcription of the *lac* Operon and its Repressor Gene in *Escherichia coli* 145

ANNOUNCEMENTS 153

NUMBER 2, 14 MARCH 1969

KISELEV, N. A. and KLUG, A., The Structure of Viruses of the Papilloma–Polyoma Type. V. Tubular Variants Built of Pentamers 155

Appendix—GOSSLING, T. H., Helical Plotting Program 169

NISHIMURA, S., HARADA, F. and HIRABAYASHI, M., Nature of Magnesium-induced Miscoding. The *in vitro* Synthesis of Valine–Tyrosine Copolypeptide directed by Poly (U-G) 173

MIN JOU, W. and FIERS, W., Studies on the Bacteriophage MS2. VII. Structure Determination of the Longer Polypurine Sequences present in the Pancreatic Ribonuclease Digest of the Viral RNA 187

MAIO, J. J. and SCHILDKRAUT, C. L., Isolated Mammalian Metaphase Chromosomes. II. Fractionated Chromosomes of Mouse and Chinese Hamster Cells 203

LEUZINGER, W., GOLDBERG, M. and CAUVIN, E., Molecular Properties of Acetylcholinesterase 217

SULSTON, J., LOHRMANN, R., ORGEL, L. E., SCHNEIDER-BERNLOEHR, H., WEIMANN, B. J. and MILES H. T., Non-enzymic Oligonucleotide Synthesis on a Polycytidylate Template 227

KIJIMA, S. and WILT, F. H., Rate of Nuclear Ribonucleic Acid Turnover in Sea Urchin Embryos 235

GOODMAN, D., MANOR, H. and ROMBAUTS, W., Ribosomal Protein Synthesis during and after Amino Acid Starvation in Relaxed and Stringent Bacteria 247

SCHWEIZER, E., MACKECHNIE, C. and HALVORSON, H. O., The Redundancy of Ribosomal and Transfer RNA Genes in *Saccharomyces cerevisiae* . . 261

PHILLIPS, L. A., HOTHAM-IGLEWSKI, B. and FRANKLIN, R. M., Polyribosomes of *Escherichia coli*. I. Effects of Monovalent Cations on the Distribution of Polysomes, Ribosomes and Ribosomal Subunits 279

PINDER, J. C., GOULD, H. J. and SMITH, I., Conservation of the Structure of Ribosomal RNA during Evolution 289

LETTERS TO THE EDITOR—

OKADA, Y., STREISINGER, G., EMRICH, J., TSUGITA, A. and INOUYE, M., The Lysozyme of a Triple Frame-shift Mutant Strain of Bacteriophage T4 299

FRØHOLM, L. O. and OLSEN, B. R., Electron Microscopy of Transfer RNA 305

WOLFENDEN, R. V., Tautomeric Equilibria in Inosine and Adenosine . 307

DAVIS, D. G., MOCK, N. L., LAMAN, V. R. and HO, C., Nuclear Magnetic Resonance Studies of Hemoglobins 311

KÜNTZEL, H., Mitochondrial and Cytoplasmic Ribosomes from *Neurospora crassa*: Characterization of their Subunits 315

NUMBER 3, 28 MARCH 1969

OSAWA, S., OTAKA, E., ITOH, T. and FUKUI, T., Biosynthesis of 50 s Ribosomal Subunit in *Escherichia coli* 321

SCOULOUDI, H., X-ray Crystallographic Studies of Seal Myoglobin: The Molecule at 6 Å and 5 Å Resolution 353

POUWELS, P. H., VAN ROTTERDAM, J. and COHEN, J. A., Structure of the Replicative Form of Bacteriophage ϕX174. VII. Renaturation of Denatured Double-stranded ϕX DNA 379

TRAUB, P. and NOMURA, M., Structure and Function of *Escherichia coli* Ribosomes. VI. Mechanism of Assembly of 30 s Ribosomes studied *in vitro* 391

SHAEFFER, J. R., ANSEVIN, A. T., THOMPSON, R. P. and TROSTLE, P. K., Evidence that the Dissociation of Human Haemoglobin by *p*-Mercuribenzoate is related to the Structure of the β-Chain. 415

FLAMM, W. G., WALKER, P. M. B. and MCCALLUM, M., Some Properties of the Single Strands isolated from the DNA of the Nuclear Satellite of the Mouse (*Mus musculus*) 423

BANERJEE, A. K., KUO, C. H. and AUGUST, J. T., Replication of RNA Viruses. VIII. Direction of Chain Growth in the Qβ RNA Polymerase Reaction 445

HANCOCK, R., Conservation of Histones in Chromatin during Growth and Mitosis *in vitro* 457

KIGER, J. A., JR. and SINSHEIMER, R. L., Vegetative Lambda DNA. IV. Fractionation of Replicating Lambda DNA on Benzoylated-naphthoylated DEAE Cellulose 467

LETTERS TO THE EDITOR

CHAN, L. M. and VAN WINKLE, Q., Interaction of Acriflavine with DNA and RNA 491

STEPHENS, R. E. and LINCK, R. W., A Comparison of Muscle Actin and Ciliary Microtubule Protein in the Mollusk *Pecten irradians* . . 497

ODINTSOVA, M. S. and YURINA, N. P., Proteins of Chloroplast and Cytoplasmic Ribosomes 503

ANNOUNCEMENT 507

Index to Volume 40

Acetylcholinesterase, molecular properties, 217
Acriflavine interaction with DNA and RNA, 491
Actin of muscle and ciliary microtubule protein compared in the mollusk *Pecten irradians*, 497
Adenosine and inosine, tautomeric equilibria, 307
Amino acid starvation, effect on ribosomal protein synthesis in relaxed and stringent bacteria, 247
Ansevin, A. T. (see also Schaeffer, J. R.), 415
Arbovirus, nature and function of the structural phospholipids, 107
August, J. T. (see also Banerjee, A. K.), 445

Bacterial cell membrane–DNA–nascent RNA complex, 65
Bacteriophage 15-induced specific DNA methylase, 77
— λ replicating DNA, fractionation on benzoylated-naphthoylated DEAE cellulose, 467
— MS2 RNA, structure of the longer polypurine sequences present in the pancreatic ribonuclease digest, 187
— M12, differentiation between conservatively and semiconservatively replicating RNA intermediates by formaldehyde inactivation, 45
— ϕX174, renaturation of the denatured double-stranded DNA, 379
— T4, the lysozyme of a triple frame-shift mutant strain, 299
Banerjee, A. K., Kuo, C. H. & August, J. T., Replication of RNA viruses. VIII. Direction of chain growth in the $Q\beta$ RNA polymerase reaction, 445
Benzolyated-naphthoylated DEAE cellulose used to fractionate replicating DNA of bacteriophage λ, 467
Bishop, J. O. (see also Melli, M.), 117
Brewster angles calculated for three-layer film, 29

Castles, J. J. & Singer, M. F., Degradation of polyuridylic acid by ribonuclease II: protection by ribosomes, 1
Cauvin, E. (see also Leuzinger, W.), 217
Chan, L. M. & Van Winkle, Q., Interaction of acriflavine with DNA and RNA, 491
Chapman, D. (see also Cherry, R. J.), 19, 29
Cherry, R. J. & Chapman, D., *Appendix*—Calculation of Brewster angles for three-layer film, 29
— &—, Optical properties of black lecithin films, 19
Chloroplast and cytoplasmic ribosomal proteins, 503
Chromatin, conservation of histones, during growth and mitosis *in vitro*, 457
Chromosomes in metaphase, fractionated from mouse and Chinese hampster cells, 203
Ciliary microtubule and muscle actin protein compared in the mollusk *Pecten irradians*, 497
Clark, B. F. C. (see also Grunberg-Manago, M.), 33
Cohen, J. A. (see also Pouwels, P. H.), 40, 379
Cytoplasmic and mitochondrial ribosomes from *Neurospora crassa*, characterization of their subunits, 315

Daniels, M. J. (see also Tremblay, G. Y.), 65
Davis, D. G., Mock, N. L., Laman, V. R. & Ho, C., Nuclear magnetic resonance studies of hemoglobins, 311
DEAE cellulose, benzoylated-naphthoylated, used to fractionate replicating DNA of bacteriophage λ, 467
Deoxyribonucleic acid interaction with acriflavine, 491
— — –nascent RNA–cell membrane complex, isolated from bacteria, 65
— — of bacteriophage λ, fractionation of the replicating form on benzoylated-naphthoylated DEAE cellulose, 467
— — — rat liver, hybridization with complementary RNA, 117
— — — the nuclear satellite of the mouse (*Mus musculus*), properties of isolated single strands, 423
— —, renaturation of the denatured double-stranded form in bacteriophage ϕX174, 379
— — replicating molecules in polyoma virus, 141
— —, specific methylase induced by bacteriophage 15, 77
Dondon, J. (see also Grunberg-Manago, M.), 33

Electron microscopy of tRNA, 305
Emrich, J. (see also Okada, Y.), 299
Escherichia coli bacteriophage M12, differentiation between conservatively and semiconservatively replicating RNA intermediates of the bacteriophage by formaldehyde inactivation, 45
— —, biosynthesis of 50 s ribosomal subunit, 321
— —, effects of monovalent cations on the distribution of polysomes, ribosomes and ribosomal subunits, 279
— —, mechanism of assembly of 30 s ribosomes studied *in vitro*, 391
— —, mutations caused by the insertion of genetic material into the galactose operon, 93
— —, orientation of transcription of the *lac* operon and its repressor gene, 145
— —, ribosomal protein synthesis during and after amino acid starvation in relaxed and stringent strains, 247

Fiers, W. (see also Min Jou, W.), 187
Flamm, W. G., Walker, P. M. B. & McCallum, M., Some properties of the single strands isolated from the DNA of the nuclear satellite of the mouse (*Mus musculus*), 423
Francke, B. & Hofschneider, P. H., Infectious nucleic acids of *Escherichia coli* bacteriophages. XI. Differentiation between conservatively and semiconservatively replicating RNA intermediates of the bacteriophage M12 by formaldehyde inactivation, 45
Franklin, R. M. (see also Phillips, L. A.), 279
Friedman, R. M. & Pastan, I., Nature and function of the structural phospholipids of an arbovirus, 107
Frøholm, L. O. & Olsen, B. R., Electron microscopy of transfer RNA, 305
Fukui, T. (see also Osawa, S.), 321

Galactose operon of *Escherichia coli*, mutations caused by the insertion of genetic material, 93
Gilmour, R. S. & Paul, J., RNA transcribed from reconstituted nucleoprotein is similar to natural RNA, 137
Gold, M. (see also Yudelevich, A.), 77
Goldberg, M. (see also Leuzinger, W.), 217
Goodman, D., Manor, H. & Rombauts, W., Ribosomal protein synthesis during and after amino acid starvation in relaxed and stringent bacteria, 247
Gossling, T. H., Helical plotting program, 169
Gould, H. J. (see also Pinder, J. C.), 289
Grunberg-Manago, M., Clark, B. F. C., Revel, M., Rudland, P. S. & Dondon, J., Stability of different ribosomal complexes with initiator transfer RNA and synthetic messenger RNA, 33

Haemoglobin, human, dissociation by *p*-mercuribenzoate related to the structure of the β-chain, 415
Haemoglobins studied by nuclear magnetic resonance, 311
Halvorson, H. O. (see also Schweizer, E.), 261
Hancock, R., Conservation of histones in chromatin during growth and mitosis *in vitro*, 457
Harada, F. (see also Nishimura, S.), 173
Helical plotting program, 169
Hirabayashi, M. (see also Nishimura, S.), 173
Hirt, B., Replicating molecules of polyoma virus DNA, 141
Histone conservation in chromatin during growth and mitosis, *in vitro*, 457
Ho, C. (see also Davis, D. G.), 311
Hofschneider, P. H. (see also Francke, B.), 45
Hotham-Iglewski, B. (see also Phillips, L. A.), 279
Hybridization between rat liver DNA and complementary RNA, 117

Inosine and adenosine, tautomeric equilibria, 307
Inouye, M. (see also Okada, Y.), 299
Itch, T. (see also Osawa, S.), 321

Kiger, J. A., Jr & Sinsheimer, R. L., Vegetative Lambda DNA. IV. Fractionation of replicating lambda DNA on benzoylated-naphthoylated DEAE cellulose, 467
Kijima, S. & Wilt, F. H., Rate of nuclear RNA turnover in sea urchin embryos, 235
Kiselev, N. A. & Klug, A., The structure of viruses of the papilloma–polyoma type. V. Tubular variants built of pentamers, 155

Klug, A. (see also Kiselev, N. A.), 155
Kumar, S. & Szybalski, W., Orientation of transcription of the *lac* operon and its repressor gene in *Escherichia coli*, 145
Küntzel, H., Mitochondrial and cytoplasmic ribosomes from *Neurospora crassa*: characterization of their subunits, 315
Kuo, C. H. (see also Banerjee, A. K.), 445

lac operon and its repressor gene, orientation of transcription in *Escherichia coli*, 145
Laman, V. R. (see also Davis, D. G.), 311
λ (see Bacteriophage)
Lecithin, optical properties of black films, 19
Leuzinger, W., Goldberg, M. & Cauvin, E., Molecular properties of acetylcholinesterase, 217
Linck, R. W. (see also Stephens, R. E.), 497
Lohrmann, R. (see also Sulston, J.), 227
Lysozyme of a triple frame-shift mutant strain of bacteriophage T4, 299

MacKechnie, C. (see also Schweizer, E.), 261
Magnesium-induced miscoding, the *in vitro* synthesis of valine–tyrosine copolypeptide directed by poly (U-G), 173
Maio, J. J. & Schildkraut, C. L., Isolated mammalian metaphase chromosomes. II. Fractionated chromosomes of mouse and chinese hamster cells, 203
Manor, H. (see also Goodman, D.), 247
McCallum, M. (see also Flamm, W. G.), 423
Melli, M. & Bishop, J. O., Hybridization between rat liver DNA and complementary RNA, 117
p-Mercuribenzoate dissociation of human haemoglobin, relationship to the structure of the β-chain, 415
Messenger RNA, synthetic, stability with different ribosomal complexes, 33
Methylase of DNA induced by bacteriophage, 15, 77
Miles, H. T. (see also Sulston, J.), 227
Min Jou, W. & Fiers, W., Studies on the bacteriophage MS2. VII. Structure determination of the longer polypurine sequences present in the pancreatic ribonuclease digest of the viral RNA, 187
Mitochondrial and cytoplasmic ribosomes from *Neurospora crassa*, characterization of subunits, 315
Mitosis and growth, *in vitro* conservation of histones in chromatin, 457
M12 (see Bacteriophage)
Mock, N. L. (see also Davis, D. G.), 311
MS2 (see Bacteriophage)
Muscle actin and ciliary microtubule protein compared in the mollusk *Pecten irradians*, 497
Mus musculus, nuclear satellite DNA, properties of isolated single strands, 423
Myoglobin, seal, X-ray crystallographic studies, 353

Neurospora crassa, characterization of the subunits of mitochondrial and cytoplasmic ribosomes, 315
Nishimura, S., Harada, F. & Hirabayashi, M., Nature of magnesium-induced miscoding. The *in vitro* synthesis of valine–tyrosine copolypeptide directed by poly (U-G), 173
Nomura, M. (see also Traub, P.), 391
Nuclear magnetic resonance studies of haemoglobins, 311
Nucleoprotein, reconstituted, RNA transcribed similar to natural RNA, 137

Odintsova, M. S. & Yurina, N. P., Proteins of chloroplast and cytoplasmic ribosomes, 503
Okada, Y., Streisinger, G., Emrich, J., Tsugita, A. & Inouye, M., The lysozyme of a triple frame-shift mutant strain of bacteriophage T4, 299
Oligonucleotide synthesis, non-enzymic, on a polycytidylate template, 227
Olsen, B. R. (see also Frøholm, L. O.), 305
Orgel, L. E. (see also Sulston, J.), 227
Osawa, S., Otaka, E., Itoh, T. & Fukui, T., Biosynthesis of 50 s ribosomal subunit in *Escherichia coli*, 321
Otaka, E. (see also Osawa, S.), 321

Papilloma-polyomer viruses. Tubular variants built of pentamers, 155
Pastan, I. (see also Friedman, R. M.), 107
Paul, J. (see also Gilmour, R. S.), 137
Pecten irradians, muscle actin and ciliary microtubule protein compared in this mollusk, 497
Phillips, L. A., Hotham-Iglewski, B. & Franklin, R. M. Polyribosomes of *Escherichia coli*. I. Effects of monovalent cations on the distribution of polysomes, ribosomes and ribosomal subunits, 279
Phospholipids, structural, nature and function in an arbovirus, 107
Pinder, J. C., Gould, H. J. & I. Smith, Conservation of the structure of ribosomal RNA during evolution, 289
Poly (U-G) direction of *in vitro* synthesis of valine–tyrosine copolypeptide, 173
Polycytidylate template used for non-enzymic oligonucleotide synthesis, 227
Polymerase, direction of chain growth in the RNA, polymerase reaction in Qβ phage, 445
Polyoma virus DNA, replicating molecules, 141
Polypurine sequences present in the pancreatic ribonuclease digest of the RNA of bacteriophage MS2, 187
Polysomes, ribosomes and ribosomal subunits, effects of monovalent cations on their distribution in *Escherichia coli*, 279
Polyuridylic acid degradation by ribonuclease II: protection by ribosomes, 1
Pouwels, P. H., van Rotterdam, J. & Cohen, J. A., Structure of the replicative form of bacteriophage ϕX174. VII. Renaturation of denatured double-stranded ϕX DNA, 379

Qβ (see Virus)

Repressor gene, orientation of transcription of the *lac* operon and its repressor gene in *Escherichia coli*, 145
Revel, M. (see also Grunberg-Manago, M.), 33
Ribonuclease II, degradation of polyuridylic acid, protection by ribosomes, 1
Ribonucleic acid, differentiation between conservatively and semi-conservatively replicating RNA intermediates of *Escherichia coli* bacteriophage M12 by formaldehyde inactivation, 45
— —, electron microscopy of tRNA, 305
— — interaction with acriflavine, 491
— —, hybridization between rat liver DNA and complementary RNA, 117
— —, nascent, complex with DNA and cell wall isolated from bacteria, 65
— —, nuclear, turnover rate in sea urchin embryos, 235
— — of bacteriophage MS2, structure of the longer polypurine sequences present in the pancreatic ribonuclease digest, 187
— — transcribed from reconstituted nucleoprotein is similar to natural RNA, 137
— —, virus Qβ, direction of chain growth in the RNA polymerase reaction, 445
Ribosomal complexes, stability with initiator tRNA and synthetic mRNA, 33
— 50 s subunit, biosynthesis in *Escherichia coli*, 321
— protein synthesis during and after amino acid starvation in relaxed and stringent bacteria, 247
— proteins of chloroplast and cytoplasm, 503
— RNA, conservation of structure during evolution, 289
— — gene redundancy in *Saccharomyces cerevisiae*, 261
Ribosomes, cytoplasmic and mitochondrial, from *Neurospora crassa*, characterization of their subunits, 315
—, ribosomal subunits and polysomes, effects of monovalent cations on their distribution in *Escherichia coli*, 279
—, 30 s, mechanism of assembly in *Escherichia coli* studied *in vitro*, 391
Rombauts, W. (see also Goodman, D.), 247
Rudland, P. S. (see also Grunberg-Manago, M.), 33

Saccharomyces cerevisiae, redundancy of ribosomal and tRNA genes, 261
Schaechter, M. (see also Tremblay, G. Y.), 65
Schildkraut, C. L. (see also Maio, J. J.), 203
Schneider-Bernloehr, H. (see also Sulston, J.), 227
Schweizer, E., MacKechnie, C. & Halvorson, H. O., The redundancy of ribosomal and transfer RNA genes in *Saccharomyces cerevisiae*, 261
Scouloudi, H., X-ray crystallographic studies of seal myoglobin: the molecules at 6 Å and 5 Å resolution, 353
Sea urchin embryos, rate of nuclear RNA turnover, 235

Shaeffer, J. R., Ansevin, A. T., Thompson, R. P. & Trostle, P. K., Evidence that the dissociation of human haemoglobin by *p*-mercuribenzoate is related to the structure of the β-chain, 415
Shapiro, J. A., Mutations caused by the insertion of genetic material into the galactose operon of *Escherichia coli*, 93
Singer, M. F. (see also Castles, J. J.), 1
Sinsheimer, R. L. (see also Kiger, J. A., Jr.), 467
Smith, I. (see also Pinder, J. C.), 289
Stephens, R. E. & Linck, R. W., A comparison of muscle actin and ciliary microtubule protein in the mollusk *Pecten irradians*, 497
Streisinger, G. (see also Okada, Y.), 299
Sulston, J., Lohrmann, R., Orgel, L. E., Schneider-Bernloehr, H., Weimann, B. J. & Miles, H. T., Non-enzymic oligonucleotide synthesis on a polycytidylate template, 227
Szybalski, W. (see also Kumar, S.), 145

T4 (see Bacteriophage)
Thompson, R. P. (see also Shaeffer, J. R.), 415
Transcribed RNA from reconstituted nucleoprotein is similar to natural RNA, 137
Transfer and ribosomal RNA gene redundancy in *Saccharomyces cerevisiae*, 261
— RNA, electron microscopy, 305
— —, initiator, stability with different ribosomal complexes, 33
Traub, P. & Nomura, M., Structure and function of *Escherichia coli* ribosomes. VI. Mechanism of assembly of 30 s ribosomes studied *in vitro*, 391
Tremblay, G. Y., Daniels, M. J. & Schaechter, M., Isolation of a cell membrane–DNA–nascent RNA complex from bacteria, 65
Trostle, P. K. (see also Schaeffer, J. R.), 415
Tsugita, A. (see also Okada, Y.), 299
Tyrosine–valine copolypeptide synthesis directed by poly (U-G), 173

Valine–tyrosine copolypeptide synthesis directed by poly (U-G), 173
van Rotterdam, J. (see also Pouwels, P. H.), 379
Van Winkle, Q. (see also Chan, L. M.), 491
Virus Qβ, direction of chain growth in the RNA, polymerase reaction, 445
—, polyoma DNA, replicating molecules, 141
Viruses of the papilloma-polyoma type. Tubular variants built of pentamers, 155

Walker, P. M. B. (see also Flamm, W. G.), 423
Weimann, B. J. (see also Sulston, J.), 227
Wilt, F. H. (see also Kijima, S.), 235
Wolfenden, R. V., Tautomeric equilibria in inosine and adenosine, 307

X-ray crystallographic studies of seal myoglobin, 353